Marble and Slate Stall Fittings and Trimmines

7.5

The Dim Hardy's a longer



Digitized by

The Association for Preservation Technology International


For the

Building Technology Heritage Library

http://archive.org/details/buildingtechnologyheritagelibrary

Marble and Slate Stall Fittings and Trimmings

VOLUME II



Manufactured by

The Dent Hardware Company

Fullerton, Penna., U. S. A.

FOREWORD

We would call your especial attention when ordering from this catalog to give plate numbers, and the thickness of marble or slate for stiles and partitions. The height of all legs and standards unless otherwise specified will be twelve inches from floor to bottom of marble or slate and from top of marble or slate to center of rail. Nickel plated finish is standard, but we are prepared to furnish special finishes, prices quoted on application.

Prices for Polished Brass same as Nickel Plated.

All articles as shown are cast brass.

TERMS

Discounts will be furnished on application.

Settlement on the 15th of Each month for ALL Invoices of preceding month. 2% cash discount.

All prices F. O. B. Fullerton, Penna.


Claims for deduction must be made on receipt of goods.

All contracts are subject to strikes, accidents, or causes beyond our control.

ALPHABETICAL INDEX

A	M
Angles8	Mortise Bolts
В	Mortise Indicator Bolts
Ball Tops 6	N
Bolts7	Nuts 7
Bolts, Expansion7	
Bolts, Indicator Mortise13	Ρ .
Bolts, Mortise16	Partition Supports9
Bottom Standards4	Perforated Pipe23
Bumpers and Strikes	Pipe Cap23
C	Pipe Couplings23
~	Posts, and Rail Holders25, 26
Caps, Pipe	Prices
Channels6	Pulls, Door18
Clamps	R
Corner Seat Angles8	
Couplings 23	Rail Holders or Straddlers24
Cups, Soap23	Rail, Brass Top
D	Rod Threaded7
Door Bolts	S
Door Pulls	Shower Fittings 24
Door Stops16	Sink Plug
E	Sink Strainers 22
End Pieces	Spring Hinges 11
Expansion Bolts	Soap Cups
	Stall Fan Spreader
F	Standards, Bottom4
Fan Spreader 21	Standards, Top5
Flange, Bottom 6	Stops, Door
Flange, Wall	Straddlers or Rail Holders24
Н	Strainers, Urinal20, 21
Hinges, Idler	Strikes and Keepers
Hinges, Spring	Supports, Partition 9
Hooks, Towel	Supports, Laterton
Hooks, Wardrobe	T
	Threaded Rod7
I	Top Rail7
Idler Hinges 12	Top Standards5
Indicator Bolt	Towel Hooks27
Indicator Latch	Tubes, Legs and Standards7
Indicator Mortise Bolt	U
K	
Keepers and Strikes17	Urinal Stall Strainers20, 21 Urinal Stall Spray Pipe23
L Latches Indicator14	W
Lavatory Hinges 11	Wall Flange 7
Legs, Bottom	Wardrobe Hooks
Legs, Dottom4	wardrobe frooks19

BRASS BOTTOM STANDARDS




PRICES DO NOT INCLUDE BOLTS

Prices include channels for marble or slate 11/4" thick and under.

All bottom standards furnished 12 inches high from floor to bottom of partition unless otherwise ordered. When ordering specify thickness of slate or marble.

BRASS TOP STANDARDS




PRICES DO NOT INCLUDE BOLTS

Prices include channels for marble or slate 11/4" thick and under.

All top standards furnished 12 inches high from top of partition to center of top rail and are arranged for $1\frac{1}{8}$ " outside diameter rail. When ordering specify thickness of slate or marble.

Ball tops can be furnished for 11/4" outside diameter rail.

THE DENT HARDWARE COMPANY



PRICES DO NOT INCLUDE BOLTS

Prices of channels are for $1\frac{1}{4}$ " thick and under. Specify thickness of slate or marble when ordering.

BRASS WALL FLANGE



No. 781 A

BRASS END



No. 850 A



C 10



C-18 1/4" Threaded Rod





BRASS EXPANSION

No. 805 A With 1/4" Bolt or Brass Machine Screw

BRASS TOP RAIL



No. C 14—1½-inch O. D.

No. C 15—1¼-inch O. D.

Prices include cutting to size.



No. C 17—11/4-inch O. D. Cut and threaded for 12" Standards or Legs and under.

BRASS ANGLES AND CLAMPS



No. 769 A—Size 11/8x11/8x13/4 inches No. 812 A—Size 21/2x21/2x13/4 inches





No. 841 A-Size 17/8x17/8x7/8 inches



No. 767 A—Size 2x2x31/2 inches



No. 770 A-Size 2x2x3 inches

CORNER SEAT ANGLE



No. 782 A—Size 2½x2½x2½ inches



No. 729 B-Size 33/8x13/4 inches

BRASS CLAMPS





No. 761 A

No. 762 A

(No. 761 A Made Right and Left Hand)



No. 763 A

BRASS PARTITION SUPPORTS







No. 764 A-Left

No. 765 A-Center

No. 766 A-Right

PRICES DO NOT INCLUDE BOLTS

When ordering specify thickness of slate or marble.

List prices on page 28

Write for discount

THE DENT HARDWARE COMPANY

BRASS CLAMPS



No. 768 A-Size 31/2 x 33/4 inches



No. 816 A-Size 31/2x33/4 inches




627 B—Size 2x4 inches **712 B**—Size 1x3 inches (two bolt_holes)

PRICES DO NOT INCLUDE BOLTS

SPRING HINGES

FOR LAVATORY DOORS ON MARBLE OR SLATE PARTITIONS



Made for partitions with hanging stile.

Can be used for right or left hand door, opening in or out.

STEEL SPRING-

ADJUSTABLE TENSION

Prices include channel for 1¹/₄ inch marble or slate and under.

No. 546 A—Single Action Per Pair

Made for partitions with hanging stile.


Can be used for right or left hand door.

STEEL SPRING-

ADJUSTABLE TENSION

Prices include channels for 11/4 inch marble or slate and under.

No. 558 A— Double Action-Per Pair



PRICES INCLUDE BOLTS AND SCREWS TO MATCH

In ordering hinges specify thickness of slate or marble.

FOR STRIKES, SEE PAGE 17

IDLER HINGE, WITHOUT SPRING FOR LAVATORY DOORS ON MARBLE OR SLATE PARTITIONS



For partitions with hanging stile.


Can be used for right or left hand door.

Prices include channels for 11/4 inch marble or slate and under.

No. 547 A-Per pair,

PRICES INCLUDE BOLTS AND SCREWS TO MATCH

BRASS LATCH FOR LAVATORY DOORS



No. 803 A-Bar 31/2 x 5/8 inches


PRICES INCLUDE BRASS NICKEL-PLATED SCREWS FOR STRIKES, SEE PAGE 17

INDICATOR MORTISE BOLT

FOR LAVATORY DOORS



(Front View)



(Rear View)

No. 843 A

No. 843 A-Diam. Dial 31/4 inches, Face to Center Handle 13/4 inches


PRICE INCLUDES BRASS NICKEL PLATED SCREWS FOR STRIKES USED IN THIS CONNECTION, SEE PAGE 17

INDICATOR LATCH

FOR LAVATORY DOORS



(Front View)



(Rear View)

No. 801 A—Diam. Dial $3\frac{1}{4}$ inches, Bar $2\frac{1}{2} \times 3\frac{1}{4}$ inches Used with door swinging in or out


PRICE INCLUDES BRASS NICKEL PLATED SCREWS FOR STRIKES USED IN THIS CONNECTION, SEE PAGE 17

INDICATOR BOLT

FOR LAVATORY DOORS



(Front View)




(Rear View)

No. 173—Diam. Dial 234 inches, Size 234×3 inches Face to Center Handle, $1\frac{1}{2}$ inches

PRICE INCLUDES SCREWS


FOR STRIKES USED IN THIS CONNECTION, SEE PAGE 17, No. 937 A

BRASS MORTISE BOLT FOR LAVATORY DOORS



No. 802 A-Face to Center Handle 134 inches

DOOR STOPS



No. 639-Length 21/2 inches, Base Plate 2 inches



No. 638—Length 3 inches, Base Plate 11/2 inches

STRIKES AND KEEPERS



No. 804 A

For Mortise Eolt
Reversible for right or left hand
doors, opening in or out.



No. 824 A

Without Bolt Hole
Reversible for right or left hand
doors, opening in.



No. 842 A

Made for right or left hand door.



No. 829 A

Without Bolt Hole.

Made for right or left hand door, opening out.



No. 937 AUsed with No. 173, page 15



Left Hand Right Hand

Strikes provided with rubber bumpers. In ordering specify thickness of slate or marble, and the hand of the door.

PRICES INCLUDE BOLTS


THE DENT HARDWARE COMPANY

DOOR PULLS




PRICES INCLUDE BRASS NICKEL PLATED SCREWS

WARDROBE HOOKS



No. 806 A-Projection 51/4 inches

PRICE DOES NOT INCLUDE BOLTS



No. 990—Projection 21/4 inches

PRICES INCLUDE BRASS NICKEL PLATED SCREWS

THE DENT HARDWARE COMPANY

URINAL STALL STRAINERS





No. 790 A

No. 790 A—Diam. Flange 2¾ inches No. 790 A " " 3¼ "

No. 810 A-Diam. Flange 33/4 inches

The above strainers are provided with lock nut and coupling.

The tops of strainers are furnished polished nickel plated unless otherwise ordered.



No. 792 A-Diam. Flange 4 inches

URINAL STALL STRAINER



No. 791 A-Diam. Flange 53/4 inches

Has Brass Lock Nut and Cast Iron Collar.

Threaded for 2½-inch Pipe.

FAN SPREADER FOR LAVATORY STALL



List prices on page 28
Write for discount

THE DENT HARDWARE COMPANY

SINK STRAINERS



No. 798 A—Diam. Flange 5 inches, with 1½-inch Waste No. 799 A " 4 " 1½ " "

Provided with Lock Nut and Coupling.
Furnished with Polished Brass Tops unless otherwise ordered.

SINK PLUG



Provided with Lock Nut and Coupling.

Furnished with Polished Brass Tops.

No. 797 A—Diam. Flange 3½ inches, with 1¼-inch Waste.

SOAP CUPS

FOR LAUNDRY OR BATH HOUSES



No. 836 A—Size 5 1/4 x 3 1/2 inches

No. 837 A—Size 51/4 x 31/2 inches



No. 835 A-Size 6 x 31/2 inches

CAP AND COUPLING



No. 793 A-3/4-inch Pipe



No. 811 A-3/4-inch Pipe

PERFORATED BRASS PIPE




No. C 16

No. C 16—¾-inch I. P. S., Nickel Plated

PRICE INCLUDES CUTTING TO SIZE AND THREADING ENDS

THE DENT HARDWARE COMPANY

SHOWER FIXTURES



(No. 684 B made right or left hand)



No. 686 B



No. 817 A-11/8-inch Rail



No. 818 A-11/8-inch Rail

In ordering specify thickness of slate or marble.

PRICES DO NOT INCLUDE BOLTS

RAIL HOLDERS OR POSTS



CENTER POST

No. 725 A

No. 725 A—For 1-inch Rail, Diam. Base 2¼ inches
Base to Center Rail 1½ inches

No. 727 A—For 5%-inch Rail, Diam. Base 1½ inches Base to Center Rail 1 inch



No. 724 A—For 1-inch Rail, Diam. Base 2½ inches Base to Center Rail 1½ inches

No. 726 A—For 5%-inch Rail, Diam. Base 17% inches Base to Center Rail 1 inch

PRICES DO NOT INCLUDE SCREWS

RAIL HOLDERS OR POSTS



END Post Diam. Base 134 inches



Diam. Base 1 inch

No. 858 A

No. 867 A

No. 858 A-End Post, for 1-in. Rail, Base to Center Rail 2½ ins. No. 861 A " " 1½ " " " 2½ " No. 859 A-Cent'r " 1 " " " 2½ " No. 862 A " " 1½ " " " " 2½ "

Nos. 859 A and 862 A are the same style as No. 858 A, only Center Posts. This style can be furnished drilled and countersunk for wood screws or tapped for machine screws.

No. 867 A—For $\frac{1}{2}$ -inch Rail, Base to Center Rail $1\frac{3}{8}$ inches **No. 867 A** " $\frac{5}{8}$ " " " " " " $1\frac{3}{8}$ "



Diam. Base 3/4 inch

No. 908-For 7/6-inch Rail, Base to Center Rail 11/4 inches

TOWEL HOOKS



No. 624 A-Projection 41/2 inches



No. 623 A—Projection 51/2 inches

PRICES INCLUDE BRASS NICKEL PLATED SCREWS

LIST PRICES STALL FITTINGS

CAST BRASS, NICKEL PLATED

C-1 Each \$2.20	1760-A-23/" Fach \$	501	797-AEach \$2.00
C-2 " 2.20	760 A 23/11 14	.75	798-A
C-3 " 2,00	761-A	.75	799-A
C-4 " 2.20	762-A " 1	.00	800-A
C-5 " 2.60		.20	
C-6 " 2.40	764-A"		
C-7 " 2.45		.45	802-A " 1.20
C-8 " 2,20	105-A	.55	803-A " 1.20
C-9 " 2.45	700-A	.45	804-A " 1.00
C-10 " 2.45	767-A "	.32	805-Aper hundred 25.00
C-11 " 3.10	768-A "	.32	806-A Each .60
C-12 " 2.70	769-A "	.28	810-A " 4.50
C-14per ft65		.55	811-A " .45
C-15 " .75	771-11/8" "	.70	812-A " .50
C-16 " 1.50	771-11/4" "	.90	816-A " .50
C-17Each .70	771-1½" " 772-1½" " 772-1¼" "	.80	817-A " 1.00
C-18per ft14	772-11/4" " 1	.00	818-A " 1.00
C-19per hund. 1.60		.75	824-A " 1.00
C-20 " 2.00		.95	829-A
173Each 2.00		.75	
546-Apr. pr. 6.00	-/-	.95	
547-A " " 3.00		.75	836-A " 1.40
558-A " " 9.00	/ 4	.95	837-A " 1.40
023-AEach .45	775–11/8" " 1	.00	841-A " .16
624-A " .35		.20	842-A " .75
627-B " .90	//0	.80	843-A " 1.80
638 " .55		.00	850-A
639 " .60		.00	858-A " .75
644 " .25		.00	859-A " 1.00
673-A " .25		.20	861-A " .75
684-B " 1.40	780 " 1	.40	862-A " 1.00
685-B " 1.30		.38	867-A- ¹ / ₂ " " .25
686-B " 1.40		.45	867-A-5/8" " .25
712-B " .30	102-A	.55	880
724-A	190-1-294	.50	887
	190-A-3/4	.50	908
726-A " .55 727-A " .55	791-A	.00	937-A
727-A	793-A"		
129-D	793-A	.50	990 " .25

FULLERTON,	PA., U. S. A.
MEMOR	RANDA
·	
	_
	-

MEMORANDA					
*					

FULLERTON, PA., U. S. A. **MEMORANDA**

	THE DI	ENT HARDW	VARE COM	PANY	
MEMORANDA					
					•
	•				
					•
ı					



